


Setting in Google Chrome Browser



Open new tab

Google

Google Search

I'm Feeling Lucky

Free trainings and tools to help grow your career and business

Google offered in: [हिन्दी](#) [বাংলা](#) [ਭਾਰਤੀ](#) [मराठी](#) [ಕನ್ನಡ](#) [गुजराती](#) [சமீப](#) [മലയാളം](#) [ਪੰਜਾਬੀ](#)

India

[Advertising](#) [Business](#) [About](#) [How Search works](#)


[Privacy](#) [Terms](#) [Settings](#)



Type "chrome://flags"
press enter button

Google

Search Google or type a URL



Free trainings and tools to help grow your career and business

Customize

Search flags

Reset all

Experiments

84.0.4147.125

WARNING: EXPERIMENTAL FEATURES AHEAD! By enabling these features, you could lose browser data or compromise your security or privacy. Enabled features apply to all users of this browser.

Interested in cool new Chrome features? Try our [beta channel](#).

Available

Unavailable

- Allows synchronous XHR requests in page dismissal**
Allows synchronous XHR requests during page dismissal when the page is being navigated away or closed by the user. – Mac, Windows, Linux, Chrome OS, Android
[#allow-sync-xhr-in-page-dismissal](#) Enabled
- Temporarily unexpire M82 flags.**
Temporarily unexpire flags that expired as of M82. These flags will be removed soon. – Mac, Windows, Linux, Chrome OS, Android
[#temporary-unexpire-flags-m82](#) Default
- Temporarily unexpire M83 flags.**
Temporarily unexpire flags that expired as of M83. These flags will be removed soon. – Mac, Windows, Linux, Chrome OS, Android
[#temporary-unexpire-flags-m83](#) Default
- Override software rendering list**
Overrides the built-in software rendering list and enables GPU-acceleration on unsupported system configurations. – Mac, Windows, Linux, Chrome OS, Android
[#ignore-gpu-blacklist](#) Disabled
- Accelerated 2D canvas**
Enables the use of the GPU to perform 2d canvas rendering instead of using software rendering. – Mac, Windows, Linux, Chrome OS, Android
[#disable-accelerated-2d-canvas](#) Enabled
- Select HW overlay strategies**
Select strategies used to promote quads to HW overlays. – Mac, Windows, Linux, Chrome OS, Android
[#overlay-strategies](#) Default
- Tint GL-composited content**

Q XHR

Reset all

Experiments

64.0.4147.105

Available

Unavailable

● **Allows synchronous XHR requests in page dismissal**

Allows synchronous XHR requests during page dismissal when the page is being navigated away or closed by the user. - Mac, Windows, Linux, Chrome OS, Android
[#allow-sync-xhr-in-page-dismissal](#)

Disabled

Type "XHR" in search flags and press enter button

Q XHR

Reset all

Experiments

84.0.4147.105

Available

Unavailable

● **Allows synchronous XHR requests in page dismissal**

Allows synchronous XHR requests during page dismissal when the page is being navigated away or closed by the user. - Mac, Windows, Linux, Chrome OS, Android
[#allow-sync-xhr-in-page-dismissal](#)

Disabled

- Default
- Enabled
- Disabled

Choose the "Enabled" option from the drop down

Q XHR

Reset all

Experiments

84.0.4147.105

Available


Unavailable

● Allows synchronous XHR requests in page dismissal

Allows synchronous XHR requests during page dismissal when the page is being navigated away or closed by the user. - Mac, Windows, Linux, Chrome OS, Android
[#allow-sync-xhr-in-page-dismissal](#)

Enabled

Click on Relaunch button



Your changes will take effect the next time you relaunch Google Chrome.

Relaunch